NM1418 (Revised April 2021)

Manure Spreader Calibration

For Nutrient Management Planning

Revised by

Mary A. Keena

Livestock Environmental Management Specialist

Purpose for Calibration

Livestock manures contain many beneficial and valuable plant nutrients, mainly nitrogen (N), phosphorus (P), potassium (K), sulfur (S) and micronutrients. However, if the manure application equipment is not properly calibrated, these valuable nutrients may be wasted by overapplication or crop yield goals may not be met due to underapplication.

Misapplication of manure also leads to a higher risk of environmental pollution. Environmental issues with manure pollution pertain mainly to bacterial pathogens, P in runoff entering surface waters and N leaching through the soil to groundwater. These factors can cause health and environmental issues (Freitas and Burr, 1996).



North Dakota State University Fargo, North Dakota

Nutrient Properties

Manure has many inorganic (mineralized) and many organic (immobilized) nutrients. The immobilized nutrients are not plant available until microbes break the manure down, releasing the nutrients into the soil (mineralization).

Roughly 60% of the N, 80% of the P and 90% of the K found in manure is plant available during the first growing season after manure application. Most of the remaining immobilized nutrients will be mineralized during the following growing season.

The added organic matter from manure promotes sustained fertility due to a slow release of nutrients and increase in soil cation exchange capacity (CEC), which is the soil's capacity to hold onto positively charged ions.

Soil characteristics such as waterholding capacity, water infiltration, bulk density and soil buffering can be improved by using manure with a properly planned and practiced nutrient management plan. Economic benefits arise from increased soil health, crop production and money saved from reduced fertilizer costs.

Testing Manure

Manure composition can vary greatly due to differences that include animal species, bedding, diet, climate and storage facilities. Average values **(Table 1)** can help develop a nutrient management plan, but experts highly recommend you have a manure sample analyzed by a specialized lab before application so you can better manage nutrients from manure, ensuring safe environmental practices and meeting crop yield goals. Refer to NDSU Extension publication "Manure Sampling for Nutrient Management Planning" (NM1259) for sampling methods and analysis interpretation.

Calibration Methods

Sheet Method

This method works well for wet or dry solid manure applications.

Materials:

- Tarps/sheets (at least three) of known area (length [feet] x width [feet] = area [feet²]). Landscaping fabric works well because applied manure will not slide off as easily as it will on a plastic sheet.
- 5-gallon bucket
- Scale

Procedure:

- Weigh the bucket and a sheet to tare the weight off the manure.
- Lay out the sheets in a row and anchor them with a few rocks or stakes. **Photo 1.**
- Start the tractor and turn the spreader on. Allow time for the spreader to start spreading. **Photo 2.**
- Record your tractor gear, engine's revolutions per minute (rpm) and spreader settings.
- Drive over the sheets, applying manure over them. Photo 3.
- Retrieve the manure-covered sheets and weigh them in the bucket. **Photos 4 and 5.**

If a sheet measuring 21.8 feet² (3 feet by 7 feet 4 inches or 4 feet by 5 feet 6 inches) is used, then the weight in pounds of manure on the sheet is equal to tons/acre **(Table 2, Example 1)**. Example 2 shows how to determine the application when a different size sheet is used (see **Table 3** for some examples of tarp sizes, manure weight and corresponding application rate).

The application rate is given by the following expression:

Rate (tons/acre) = (pounds of manure on sheet x 21.8) \div sheet area (feet²).









Photos taken at the Carrington Research Extension Center by Mary Keena.



Table 1. Manure book values for variouslivestock species and categories.

Animal	Ν	P ₂ O ₅	K ₂ O		
		Pounds Per To	on ———		
Beef	13	6	12		
Sheep	20	10	20		
Poultry					
Layer	34	51	26		
Tom turkey	40	50	30		
Equine, sedentary	7	2	2		
	– Poun	– Pounds Per 1,000 Gallons –			
Dairy, lactating	54	28	30		
Swine					
Gestating	55	36	45		
Finishing	93	37	47		

Sources:

Midwest Plan Service, 2004 Keena and Augustin, 2021

Table 2. Sheet method worksheet.

	Manure on Sheet (Ibs)	Multiply	Correction Factor (21.8)	Divide	Square Feet of Sheet (Length x Width)	Equals	Tons of Manure Per Acre
Example 1	21.25	x	21.8	÷	21.8	=	21.25
Example 2	21.25	x	21.8	÷	24	=	19.3
Sheet 1		x		÷		=	
Sheet 2		x		÷		=	
Sheet 3		x		÷		=	

This procedure also should be replicated three or more times and averaged to help account for variability (Jokela, 2008).

What is the magic 21.8 number?

To convert the weight of manure applied to the area of the calibration strip or tarp (pounds/square feet) to tons/acre, we need to multiply the weight in pounds by 43,560 square feet (= 1 acre) and divide it by 2,000 pounds (= 1 ton).

Instead of doing a two-step calculation, we calculate a factor that will convert at the same time the weight from pounds to tons and the area from square feet to acre.

The factor 21.8 is the rounded value for the division of 43,560 square feet/acre by 2,000 pounds/ton (= 21.78).

Table 3. Tarp sizes, manure weight and correspondingmanure application rate.

Manure	Tarp Size, feet					
Weight	5x7	6x8	6x4, 8x3ª	4x10, 8x5 ^b		
lbs.		— Manure Applie	cation Rate ^c , ton/ac	re ———		
2	1.2	0.9	1.8	1.1		
4	2.5	1.8	3.6	2.2		
6	3.7	2.7	5.4	3.3		
8	5.0	3.6	7.3	4.4		
10	6.2	4.5	9.1	5.4		
12	7.5	5.4	10.9	6.5		
14	8.7	6.4	12.7	7.6		
16	10.0	7.3	14.5	8.7		
18	11.2	8.2	16.3	9.8		
20	12.4	9.1	18.2	10.9		
22	13.7	10.0	20.0	12.0		
24	14.9	10.9	21.8	13.1		
26	16.2	11.8	23.6	14.2		
28	17.4	12.7	25.4	15.2		
30	18.7	13.6	27.2	16.3		
32	19.9	14.5	29.0	17.4		
34	21.2	15.4	30.9	18.5		
36	22.4	16.3	32.7	19.6		
38	23.6	17.2	34.5	20.7		
40	24.9	18.2	36.3	21.8		
42	26.1	19.1	38.1	22.9		
44	27.4	20.0	39.9	24.0		
46	28.6	20.9	41.7	25.0		
48	29.9	21.8	43.6	26.1		
50	31.1	22.7	45.4	27.2		

^a Halves of a 6- by 8-foot tarp.
^b Halves of a 10- by 8-foot tarp.

^c Manure Application Rate = (Manure Weight [lbs.] x 21.8)/Tarp Area [feet²]

Axle Weight Method

This method works for wet or dry solid and liquid manure applications.

Materials:

- 100-foot measuring tape or a measuring wheel.
- Scale capable of weighing the manure spreader (truck scales or portable axle scales work well).

Procedure:

• Weigh the manure spreader loaded. In the event the spreader is a tandem axle and the scale is unable to weigh both axles at the same time, each axle may be weighed individually and their weights can be added. (If using a tractor-pulled spreader and parking the tractor and spreader on the scale is not possible, be sure to lower the manure spreader jack onto the scale to take weight off the tractor tongue.)

- Record tractor gear, engine rpm and spreader settings.
- Apply manure to a desired area or measure the area after manure application (length [feet] x width [feet] = area [feet²]).
- Weigh the spreader after application.

The application rate can be calculated by the following expression:

Rate (tons /acre) = (loaded spreader weight [pounds] – empty spreader weight [pounds]) x 21.8 ÷ application area [feet²] **(Table 4)**.

	Loaded Spreader Weight (lbs.)	Minus	Spreader Weight After Application (lbs.)	Divide	Manure Weight (lbs.)	Times	Correction Times	Divided	Application Area (feet ²)	Equals	Manure Application Rate (tons/acre)
Example	37,188	_	19,321	÷	17,867	x	21.8	÷	16,438	=	23.7
Application 1		_		÷		x	21.8	÷		=	
Application 2		_		÷		x	21.8	÷		=	
Application 3		_		÷		x	21.8	÷		=	
Application 4		_		÷		x	21.8	÷			

Table 4. Axle weight method worksheet.

This procedure might be the most time consuming, but it is the most accurate because it can account for variability within the application procedure.

These techniques sufficiently meet calibration criteria stated in the USDA-NRCS North Dakota 590 Nutrient Management Standard.

Notes

Notes

References

- Freitas, R.J., and M.D. Burr. 1996. Animal Wastes. In Pollution Science. I.L. Pepper, C.P Gerba and M.L. Brusseau (ed). Academic Press. San Diego, Calif.
- Jokela, B. Verified April 21, 2021. Manure Spreader Calibration. The University of Vermont Extension. www.uvm.edu/sites/default/files/Agriculture/CVCROPS/ManureCalibration.pdf
- Keena, M.A., and C. Augustin. 2021. Nutrient Characteristics of Solid Beef Manure in North Dakota. www.ag.ndsu.edu/publications/livestock/nutrient-characteristics-of-solid-beef-manure-in-north-dakota
- Midwest Plan Service. 2004. Manure Characteristics Manure Management Systems Series. Section 1, Second edition.

Refer to NDSU Extension publication "Manure Sampling for Nutrient Management Planning" (NM1259) for sampling methods and analysis interpretation.

This material is based upon work supported by the Natural Resources Conservation Service, U.S. Department of Agriculture, under number 69-3A75-17-17. USDA is an equal opportunity provider and employer. Any opinions, findings, conclusions, or recommendation expressed in this publication are those of the author(s) and do not necessarily reflect the views of the U.S. Department of Agriculture.

This publication was authored by Chris Augustin, NDSU Dickinson Research Extension Center director; Ron Wiederholt, former Extension nutrient management specialist; and Teresa Dvorak, former Extension livestock nutrient management specialist, NDSU, 2009, and revised by Paulo Flores, NDSU assistant professor, 2015.

For more information on this and other topics, see www.ag.ndsu.edu

NDSU encourages you to use and share this content, but please do so under the conditions of our Creative Commons license. You may copy, distribute, transmit and adapt this work as long as you give full attribution, don't use the work for commercial purposes and share your resulting work similarly. For more information, visit www.ag.ndsu.edu/agcomm/creative-commons.

County commissions, North Dakota State University and U.S. Department of Agriculture cooperating. NDSU does not discriminate in its programs and activities on the basis of age, color, gender expression/identity, genetic information, marital status, national origin, participation in lawful off-campus activity, physical or mental disability, pregnancy, public assistance status, race, religion, sex, sexual orientation, spousal relationship to current employee, or veteran status, as applicable. Direct inquiries to Vice Provost for Title IX/ADA Coordinator, Old Main 201, NDSU Main Campus, 701-231-7708, ndsu.eoaa.ndsu.edu. This publication will be made available in alternative formats for people with disabilities upon request, 701-231-7881.